

OBSERVATION ON THE HYPERBOLA

$$y^2 = 220x^2 + 9$$

M.A.Gopalan¹, S.Vidhyalakshmi², E.Premalatha³, M.Vanitha⁴

^{1, 2} Professor, Dept.of mathematics, SIGC,Trichy
mayilgopalan@gmail.com,vidhyasigc@gmail.com

³ Asst.Professor, Dept.of mathematics, NCT,Trichy
premalathaem@gmail.com

⁴ PG Scholar, Department of Mathematics, SIGC, Trichy-620002, Tamilnadu;
vanithamarimuthu1994@gmail.com

ABSTRACT:

The binary quadratic equation represented by the positive pellian $y^2 = 220x^2 + 9$ is analyzed for its distinct integer solutions. A few interesting relations among the solutions are also given. Further, employing the solutions of the above hyperbola, we have obtained solutions of other choices of hyperbolas, parabolas and special Pythagorean triangle.

KEYWORDS:

Binary quadratic; hyperbola; parabola; integral solutions; pell equation; Special numbers.

2010 mathematics subject classification : 11D09

NOTATIONS:

$$P_n^m = \frac{[n(n+1)(m-2)n + (5-m)]}{6}$$

$$pr_n = n(n+1)$$

$$cp_{6,n} = n^3$$

$$t_{m,n} = n \frac{(n+1)}{2}$$

INTRODUCTION:

The binary quadratic equation of the form $y^2 = Dx^2 + 1$, where D is non- square positive integer, has been studied by various mathematicians for its non- trivial integral solutions when D takes different integral values [1-4]. In [5] infinitely many Pythagorean triangle in each of which hypotenuse is four times the product of the generators added with unity are obtained by employing the non-integral solutions of binary quadratic equation of $y^2 = 3x^2 + 1$. In [6], a special Pythagorean triangle is obtained by employing the integral solutions of $y^2 = 10x^2 + 1$. In [7], different patterns of infinitely many Pythagorean triangle are obtained by employing the non-trivial solutions of $y^2 = 12x^2 + 1$. In this context one may also refer [8-18]. These results have motivated us to search for the integral solutions of yet another binary quadratic equation $y^2 = 220x^2 + 9$ representing a hyperbola. A few interesting properties among the solutions are presented. Employing the integral solutions of the equation under the consideration, a special Pythagorean triangle is obtained.

METHODS OF ANALYSIS:

Consider the binary quadratic equation

$$y^2 = 220x^2 + 9 \tag{1}$$

with the least positive integer solutions $x_0 = 18, y_0 = 267$

To obtain the other solutions of equation (1), Consider the Pellian equation

$$y^2 = 220x^2 + 1$$

whose general solution,

$$x_n = \frac{g_n}{4\sqrt{55}}, y_n = \frac{f_n}{2}$$

in which

$$f_n = (89 + 12\sqrt{55})^{n+1} + (89 - 12\sqrt{55})^{n+1}$$

$$g_n = (89 + 12\sqrt{55})^{n+1} - (89 - 12\sqrt{55})^{n+1}$$

where $n = -1, 0, 1, 2, \dots$

Applying Brahmagupta lemma between the solutions of (x_0, y_0) and (x_n, y_n) the general solutions of equation (1) are found to be

$$x_{n+1} = 9f_n + \frac{267g_n}{4\sqrt{55}} \tag{2}$$

$$y_{n+1} = \frac{267f_n}{2} + 18\sqrt{55}g_n \tag{3}$$

Thus, (2) and (3) represent the non-zero distinct integer solutions of (1) which represent a hyperbola.

The recurrence relations satisfied by the values of x and y are respectively

$$178x_{n+2} - x_{n+1} - x_{n+3} = 0$$

$$178y_{n+2} - y_{n+1} - y_{n+3} = 0$$

A few numerical examples are presented in the table below

n	x_{n+1}	y_{n+1}
-1	18	267
0	3204	47523
1	570294	8458827

2	101509128	1505623683
3	18068054490	267992556747
4	3216012190092	47701169477283

A few interesting properties are given below:

- ❖ The values of x are even while the values of y are odd
- ❖ Each of the following is a Nasty number

$$801[267x_{2n+4} - 8458827x_{2n+2} + 9612]$$

$$6\{2[267y_{2n+2} - 3960x_{2n+2}] + 18\}$$

$$6\{2[47523y_{2n+3} - 704880x_{2n+3}] + 18\}$$

- ❖ $4(267y_{n+1} - 3960x_{n+1}) * [47523y_{n+2} - 704880x_{n+2}]$ is a Square number
- ❖ Each of the following is a cubical integer

$$267x_{3n+4} - 47523x_{3n+3} + 18[267y_{n+1} - 3960x_{n+1}]$$

$$3[95046y_{3n+4} - 140976x_{3n+4} + 267x_{n+2} - 47523x_{n+1}]$$

$$\frac{1}{178}[267x_{3n+5} - 8458827x_{3n+3} + 142578x_{n+2} - 25377282x_{n+1}]$$

- ❖ $267x_{n+2} = 1602y_{n+1} + 23763x_{n+1}$
- ❖ $267y_{n+1} - 3960x_{n+1} = 47523y_{n+2} - 704880x_{n+2}$
- ❖ $x_{n+1} \equiv 0 \pmod{9}$
- ❖ $y_{n+1} \equiv 0 \pmod{3}$
- ❖ $[x_{2n+1} \equiv 0 \pmod{4}]$

REMARKABLE OBSERVATIONS:

1. Employing the solutions (x, y) of (1), each of the following expressions among the special polygonal and pyramidal numbers is a congruent to zero under modulo 9

$$\left(\frac{2p^5 y-1}{t_{4,y-1}}\right)^2 - 220\left(\frac{3p^3 x}{t_{3,x+1}}\right)^2 ; \left(\frac{6p^3 y-2}{pr_{y-2}}\right) - 220\left(\frac{6p^4 x-1}{t_{3,2(x-1)}}\right)^2$$

2. Employing the linear combinations among the integer solution of (1), one may obtain integer solutions for different geometrical representations. For simplicity and clear understanding, a few illustrations are presented in the table 1 below:

Table 1:

X_1	X_2	Y_1	Relation between X_1 , X_2 and Y_1	Geometrical representation
$534y_{n+1} - 7920x_{n+1}$	-	$95046y_{n+1} - 7920x_{n+2}$	$Y_1 = 89X_1$	Straight line
$178y_{n+1} - 2640x_{n+1}$	$534y_{2n+2} - 7920x_{2n+2} + 18$	$58740x_{n+1} - 3960y_{n+1}$	$Y_1^2 = 495X_2 - 17820$ & $X_2 = X_1^2$	Parabola
$178y_{n+1} - 2640x_{n+1}$	$534y_{2n+2} - 7920x_{2n+2} + 18$	$58740x_{n+1} - 3960y_{n+1}$	$Y_1^2 = 495X_1^2 - 17820$	Hyperbola

3. Using the integer solutions of (1), one may obtain relations among special numbers. A few relations are exhibited in the following table 2.

Table 2:

m	n	Relations among special numbers
$\frac{y_{3N-3} - 2}{2}$	$\frac{y_{3N-3} + 2}{5}, N = 1, 2, 3, \dots$	$2t_{3,m} = 275t_{12,n} + 222$
$\frac{y_{s+1} - 1}{2}$	x_{s+1}	$t_{3,m} = \frac{55np_n^5}{pr_n} + 1$
$\frac{y_{s+1} - 1}{2}$	x_{s+1}	$2(t_{3,m} - 1) * n = 55cp_{6,n}$
$\frac{y_{s+1} - 1}{2}$	$x_{s+1} - 1$	$2(t_{3,m} - 1)t_{3,n+1} = 55(n+1)p_{n+1}^5$

4. Consider $r = x_{n+1} + y_{n+1}$, $s = x_{n+1}$. Observe that $r > s > 0$. Treat r, s as the generators of the Pythagorean triangle $T(\alpha, \beta, \gamma)$, where $\alpha = 2rs$, $\beta = r^2 - s^2$, $\gamma = r^2 + s^2$.

Let A, P represent the area and perimeter of $T(\alpha, \beta, \gamma)$

Then the following interesting relations are observed.

$$\alpha - 110\beta + 109\gamma = -9$$

$$111\alpha - \gamma + 9 = 440 \frac{A}{P}$$

CONCLUSION:

In this paper, we have presented infinitely many integer solutions for the hyperbola represented by the positive Pell equation $y^2 = 220x^2 + 9$. As the binary quadratic Diophantine equations are rich in variety, one may search for the other choices of negative Pell equations and determine their integer solutions along with suitable properties.

ACKNOWLEDGEMENT:

The financial support from the UGC, New Delhi (F.MRP-5123/14 (SERO/UGC) dated March 2014) for a part of this work is gratefully acknowledged.

REFERENCES

1. Dickson .L.E; History of Theory of Numbers. Volume 2, Chelsea Publishing Company, New York,1952.
2. Mordel .L.J; Diophantine Equations. Academic Press, New York, 1969.
3. Telang SJ; Number Theory. Tata Mcgraw Hill Publishing Company Ltd., New Delhi, 2000.
4. Burton .D; Elementary number Theory. Tata Mcgraw Hill Publishing Company Ltd., New Delhi, 2002.
5. Gopalan M.A, Janaki. G; Observation on $y^2 = 3x^2 + 1$. Acta Ciancia Indica, 2008; XXXIVM(2): 693-696.
6. Gopalan .M.A, Sangeetha .G; A Remarkable observation on $y^2 = 10x^2 + 1$. Impact J Sci Tech., 2010; 4: 103-106.
7. Gopalan. M.A, Palanikumar .R; Observation on $y^2 = 12x^2 + 1$. Antarctica J Math., 2011; 8(2):149-152.
8. Gopalan. M.A, Vidhyalakshmi. S, Devibala. S; On the Diophantine equation $3x^2 + xy = 14$. Acta Ciancia Indica, 2007; XXIIIM(2): 645-648.
9. Gopalan .M.A, Vijayalakshmi. R; Observation on the integral solutions of $y^2 = 5x^2 + 1$. Impact J Sci Tech.,2010; 4:125-129.
10. Gopalan .M.A,Yamuna .R.S; Remarkable observation on the binary quadratic equation $y^2 = (k^2 + 2)x^2 + 1$, $k \in \mathbb{Z} \setminus \{0\}$. Impact J Sci Tech., 2010; 4: 61-65.
11. Gopalan .M.A, Sivagami .B; Observation on the Integral solutions of $y^2 = 7x^2 + 1$ Antarctica J Math., 2010;7(3): 291-296.
12. Gopalan .M.A, Vidhyalakshmi. R; Special pythagorean triangle generated through the integral solutions of the equation $y^2 = (k^2 + 1)x^2 + 1$. Antarctica J Math.,2010; 7(5): 503-507.
13. Gopalan .M.A, Srividhya .G; Relation among M-ognal Number through the equation $y^2 = 2x^2 + 1$. Antarctica J Math., 2010; 7(3): 363-369.
14. Gopalan .M.A, Vidhyalakshmi. S, Usharani .T.R, Mallika. S; Observation on $y^2 = 12x^2 - 3$. Bessel., J Math.,2010; 2(3):153-158.
15. Gopalan .M.A, Vidhyalakshmi .S, Umarani .J; Remarkable observations on the hyperbola $y^2 = 24x^2 + 1$. Bulletin of Mathematics and Statistics Research, 2013; 1: 9-12.
16. Gopalan .M.A, Vidhyalakshmi. S, Maheswari .D; Remarkable observations on the hyperbola $y^2 = 30x^2 + 1$. International Journal of Engineering of Research, 2013; 1(3): 312-314.
17. Gopalan .M.A, Vidhyalakshmi .S, Usharani .T.R,Agalya.K ; Observation on the hyperbola $y^2 = 110x^2 + 1$. international journal of multidisciplinary research and development, 2015;2(3):237-239.
18. Gopalan .M.A, Vidhyalakshmi. S,Rukmani.A; Observation on the hyperbola $y^2 = 120x^2 + 1$. Scholars Bulletin ,2015; 1(9): 242-244